ROADMAP 2022
CATALOG

You'll find all the information you need about the brand new item in our latest Roadmap catalogue 2022

V-TAC®
INNOVATIVE LED LIGHTING

Welcome to our Roadmap 2022

Upcoming Categories

LED FLOODLIGHT

LED STREETLIGHTS

OUTDOOR LIGHTING

LED HIGHBAYS

LED PANELS

LED SOLAR LIGHTS

GU10 FITTINGS

LED STRIP LIGHTS

LED STRIP LIGHTS

DESK LAMPS

CEILING FANS

TROLLEY SPEAKERS

LED FLOODLIGHT with Light Sensor

SAMSUNG LED Illuminated

• They will automatically function according to daylight levels.
• Floodlights will be off if natural light is above 140lux, and on if natural light is below 140lux.
• There is no need to turn the light on or off.
• Light Sensor does not work when motion is detected.

- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

IP65 RATING

5 YEAR WARRANTY

AUTOMATIC ON | AUTOMATIC OFF

Model	SKU	Watts	Lumen	Dimension
VT-37	20169 | 3000K WARM WHITE 20170 | 4000K DAY WHITE 20171 | 6500K WHITE	30W	3000	165×46×204.5mm
VT-57	20172 | 3000K WARM WHITE 20173 | 4000K DAY WHITE 20174 | 6500K WHITE	50W	5000	197.5×46×241.5mm
VT-117	20175 | 3000K WARM WHITE 20176 | 4000K DAY WHITE 20177 | 6500K WHITE	100W	10000	247.5×49.5×299mm
VT-167	20178 | 3000K WARM WHITE 20179 | 4000K DAY WHITE 20180 | 6500K WHITE	150W	15000	318.5×55×390mm
VT-272	20181 | 3000K WARM WHITE 20182 | 4000K DAY WHITE 20183 | 6500K WHITE	200W	20000	371×57×458.5mm

LED FLOODLIGHT with Direct Connection

SAMSUNG LED Illuminated

- Instant Start in 1 second
- Operation in Outside Temperature (-20 to+40° C)
- Protection Rating IP65
- Only connect with waterproof cable hose
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

IP65 RATING

5 YEAR WARRANTY

DIY DO IT YOURSELF

Model	SKU	Watts	Lumen	Dimension
VT-118	20304 | 3000K WARM WHITE 20305 | 4000K DAY WHITE 20306 | 6500K WHITE	10W	735	133×55×88mm
VT-128	20307 | 3000K WARM WHITE 20308 | 4000K DAY WHITE 20309 | 6500K WHITE	20W	1510	157×56×101mm
VT-138	20310 | 3000K WARM WHITE 20311 | 4000K DAY WHITE 20312 | 6500K WHITE	30W	2340	177×56×117mm
VT-158	20313 | 3000K WARM WHITE 20314 | 4000K DAY WHITE 20315 | 6500K WHITE	50W	4000	195×57×152mm

V-TAC® INNOVATIVE LED LIGHTING

LED FLOODLIGHT Direct Connection with PIR Sensor

SAMSUNG LED Illuminated

- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

IP65 RATING

5 YEAR WARRANTY

DIY

MOTION PIR SENSOR

140°±20° DETECTION RANGE

Model	SKU	Watts	Lumen	Dimension
VT-118S-B	20256 | 3000K WARM WHITE 20257 | 4000K DAY WHITE 20258 | 6500K WHITE	10W	735	133×60×113mm
VT-128S-B	20259 | 3000K WARM WHITE 20260 | 4000K DAY WHITE 20261 | 6500K WHITE	20W	1510	157×60×128mm
VT-138S-B	20262 | 3000K WARM WHITE 20263 | 4000K DAY WHITE 20264 | 6500K WHITE	30W	2340	177×60×143mm
VT-158S-B	20265 | 3000K WARM WHITE 20266 | 4000K DAY WHITE 20267 | 6500K WHITE	50W	4000	195×60×178mm

V-TAC® INNOVATIVE LED LIGHTING

LED FLOODLIGHTS Direct Connection with PIR Sensor

SAMSUNG LED Illuminated

- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

IP65 RATING

5 YEAR WARRANTY

DIY

MOTION PIR SENSOR

140°±20° DETECTION RANGE

Model	SKU	Watts	Lumen	Dimension
VT-118S-W	20268 | 3000K WARM WHITE 20269 | 4000K DAY WHITE 20270 | 6500K WHITE	10W	735	133×60×113mm
VT-128S-W	20271 | 3000K WARM WHITE 20272 | 4000K DAY WHITE 20273 | 6500K WHITE	20W	1510	157×60×128mm
VT-138S-W	20274 | 3000K WARM WHITE 20275 | 4000K DAY WHITE 20276 | 6500K WHITE	30W	2340	177×60×143mm
VT-158S-W	20277 | 3000K WARM WHITE 20278 | 4000K DAY WHITE 20279 | 6500K WHITE	50W	4000	195×60×178mm

V-TAC® INNOVATIVE LED LIGHTING

LED FLOODLIGHTS PIR Sensor

SAMSUNG LED Illuminated

- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Easy Installation with Extra Long 1 Meter cable Included.
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

IP65 RATING

5 YEAR WARRANTY

MOTION PIR SENSOR



Model	SKU	Watts	Lumen	Dimension
VT-118S-1-B	20280 | 3000K WARM WHITE 20281 | 4000K DAY WHITE 20282 | 6500K WHITE	10W	735	133×60×113mm
VT-128S-1-B	20283 | 3000K WARM WHITE 20284 | 4000K DAY WHITE 20285 | 6500K WHITE	20W	1510	157×60×128mm
VT-138S-1-B	20286 | 3000K WARM WHITE 20287 | 4000K DAY WHITE 20288 | 6500K WHITE	30W	2340	177×60×143mm
VT-158S-1-B	20289 | 3000K WARM WHITE 20290 | 4000K DAY WHITE 20291 | 6500K WHITE	50W	4000	195×60×178mm

V-TAC® INNOVATIVE LED LIGHTING

LED FLOODLIGHTS PIR Sensor

SAMSUNG LED Illuminated

- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Easy Installation with Extra Long 1 Meter cable Included.
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

IP65 RATING

5 YEAR WARRANTY

MOTION PIR SENSOR

Model	SKU	Watts	Lumen	Dimension
VT-118S-1-W	20292 | 3000K WARM WHITE 20293 | 4000K DAY WHITE 20294 | 6500K WHITE	10W	735	133×60×113mm
VT-128S-1-W	20295 | 3000K WARM WHITE 20296 | 4000K DAY WHITE 20297 | 6500K WHITE	20W	1510	157×60×128mm
VT-138S-1-W	20298 | 3000K WARM WHITE 20299 | 4000K DAY WHITE 20300 | 6500K WHITE	30W	2340	177×60×143mm
VT-158S-1-W	20301 | 3000K WARM WHITE 20302 | 4000K DAY WHITE 20303 | 6500K WHITE	50W	4000	195×60×178mm

V-TAC® INNOVATIVE LED LIGHTING

LED FLOODLIGHTS 137lm Black Slimline Pro

SAMSUNG LED Illuminated

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Die Cast Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000-hour lifespan
- On/Off Cycle >15000

IP65 RATING

5 YEAR WARRANTY

137 lm/W

Model	SKU	Watts	Lumen	Dimension
VT-32	20402 | 4000K DAY WHITE 20403 | 6500K WHITE	30W	4100	165×204.5×46mm
VT-52	20404 | 4000K DAY WHITE 20405 | 6500K WHITE	50W	6850	197.5×241.5×46mm
VT-132	20406 | 4000K DAY WHITE 20407 | 6500K WHITE	100W	13700	247.5×299×49.5mm
VT-162	20408 | 4000K DAY WHITE 20409 | 6500K WHITE	150W	20500	318.5×390×55mm
VT-302	20410 | 4000K DAY WHITE 20411 | 6500K WHITE	200W	27350	371×458.5×57mm

LED FLOODLIGHTS 185lm Black Slimline Pro

SAMSUNG LED Illuminated

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Die Cast Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000-hour lifespan
- On/Off Cycle >15000

IP65 RATING

5 YEAR WARRANTY

185 lm/W

Model	SKU	Watts	Lumen	Dimension
VT-30185	20449 | 4000K DAY WHITE 20450 | 6400K WHITE	30W	5550	165×204.5×46mm
VT-50185	20451 | 4000K DAY WHITE 20452 | 6400K WHITE	50W	9250	197.5×241.5×46mm
VT-100185	20453 | 4000K DAY WHITE 20454 | 6400K WHITE	100W	18500	247.5×299×49.5mm
VT-150185	20455 | 4000K DAY WHITE 20456 | 6400K WHITE	150W	28750	318.5×390×55mm
VT-200185	20457 | 4000K DAY WHITE 20458 | 6400K WHITE	200W	37000	371×458.5×57mm

LED STREETLIGHTS

SAMSUNG LED Illuminated

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220–240V, 50Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan

IP65 RATING

5 YEAR WARRANTY

Model	SKU	Watts	Lumen	Dimension
VT-39ST	20422 | 4000K DAY WHITE 20423 | 6500K WHITE	30W	3600	416×138×99mm
VT-59ST	20424 | 4000K DAY WHITE 20425 | 6500K WHITE	50W	6000	470×149×99mm
VT-79ST	20438 | 4000K DAY WHITE 20439 | 6500K WHITE	70W	8400	470×149×99mm
VT-139ST	20426 | 4000K DAY WHITE 20427 | 6500K WHITE	100W	12000	567×179×99mm
VT-169ST	20428 | 4000K DAY WHITE 20429 | 6500K WHITE	150W	18000	628×203×99mm

LED STREETLIGHTS Light Sensor Pro

SAMSUNG LED Illuminated

- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan

IP65 RATING

5 YEAR WARRANTY

MOTION PIR SENSOR

Model	SKU	Watts	Lumen	Dimension
VT-39ST-S	20430 | 4000K DAY WHITE 20431 | 6500K WHITE	30W	3600	416×138×99mm
VT-59ST-S	20432 | 4000K DAY WHITE 20433 | 6500K WHITE	50W	6000	470×149×99mm
VT-139ST-S	20434 | 4000K DAY WHITE 20435 | 6500K WHITE	100W	12000	567×179×99mm
VT-169ST-S	20436 | 4000K DAY WHITE 20437 | 6500K WHITE	150W	18000	628×203×99mm

OUTDOOR LIGHTING Garden Spikes Lights

SAMSUNG LED Illuminated

- IP65 Rating.
- COB-Samsung Chip
- 3 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >80
- PF>0.5
- 20,000-hour lifespan
- On/Off Cycle >15000

IP65 RATING

3 YEAR WARRANTY

Model	SKU	Watts	Lumen	Dimension
VT-907	20316 | 3000K WARM WHITE 20317 | 4000K DAY WHITE 20318 | 6400K WHITE	7W	420	200×714mm

V-TAC® INNOVATIVE LED LIGHTING

LED HIGHBAYS PRO UFO Series 90°

SAMSUNG LED Illuminated

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:175-265V, 50Hz
- Body Type: Die Cast Aluminium
- 90° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan
- On/Off Cycle >15000

IP65 RATING

5 YEAR WARRANTY

Model	SKU	Watts	Lumen	Dimension
VT-9-116S	20319 | 4000K DAY WHITE 20320 | 6500K WHITE	100W	11500	250×94mm
VT-9-156S	20321 | 4000K DAY WHITE 20322 | 6500K WHITE	150W	17300	295×94mm
VT-9-206S	20323 | 4000K DAY WHITE 20324 | 6500K WHITE	200W	23000	320×94mm

V-TAC® INNOVATIVE LED LIGHTING

LED PANELS
PRO 60×60

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200–240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 30,000-hour lifespan
- On/Off Cycle >15000

120 lm/W

5 YEAR WARRANTY

Model	SKU	Watts	Lumen	Box Qty
VT-629-1	20419 | 4000K DAY WHITE	29W	3480	6 pcs

SAMSUNG LED Illuminated

LED PANELS
PRO 60×60

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200–240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 30,000-hour lifespan
- On/Off Cycle >15000

5 YEAR WARRANTY

Model	SKU	Watts	Lumen	Box Qty
VT-645-1	20421 | 4000K DAY WHITE 20420 | 6400K WHITE	45W	4830	6 pcs

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING

LED SOLAR STREETLIGHT

Solar Streetlight

5 YEAR WARRANTY

SOLAR LIGHTS

- DC:9V, 50W Solar Panel
- CRI: >80
- Lumens: 3000lm
- 6.4V 30000mAh Battery
- Beam Angle: 120°
- IP65 Rating
- Warranty: 5 Years
- Charging Time: 4–6 Hours
- Working Time: 8–10 Hours

IP65 RATING

Model	SKU	Watts	Lumen	Bo x Qty
VT-ST303	20341 | 6400K WHITE	300W	3000	1 pc

SAMSUNG LED Illuminated

LINEAR LIGHTS

Linear Surfaced Lights



Model	SKU	Watts	Lumen	Bo x Qty
VT-7-46	20462 | 3000K WARM WHITE 20463 | 4000K DAY WHITE 20464 | 6400K WHITE	40W		

SAMSUNG LED Illuminated

V-TAC® INNOVATIVE LED LIGHTING

Recessed Fitting GU10

Model No:	VT-920-W
SKU:	6632
Base:	GU10
Material:	PC
Color:	White
Dimension:	88×40mm
Cutting Size:	80mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-920-B
SKU:	6633
Base:	GU10
Material:	PC
Color:	Black
Dimension:	88×40mm
Cutting Size:	80mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-925-W
SKU:	6636
Base:	GU10
Material:	PC
Color:	White
Dimension:	93×55mm
Cutting Size:	83mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-925-B
SKU:	6637
Base:	GU10
Material:	PC
Color:	Black
Dimension:	93×55mm
Cutting Size:	83mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-929-W
SKU:	6640
Base:	GU10
Material:	PC
Color:	White
Dimension:	81×40mm
Cutting Size:	63mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-929-B
SKU:	6641
Base:	GU10
Material:	PC
Color:	Black
Dimension:	81×40mm
Cutting Size:	63mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-921-W
SKU:	6634
Base:	GU10
Material:	PC
Color:	White
Dimension:	88×88×40mm
Cutting Size:	80mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-921-B
SKU:	6635
Base:	GU10
Material:	PC
Color:	Black
Dimension:	88×88×40mm
Cutting Size:	80mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-927-W
SKU:	6638
Base:	GU10
Material:	PC
Color:	White
Dimension:	93×93×55mm
Cutting Size:	83×83mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-927-B
SKU:	6639
Base:	GU10
Material:	PC
Color:	Black
Dimension:	93×93×55mm
Cutting Size:	83×83mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-930-W
SKU:	6642
Base:	GU10
Material:	PC
Color:	White
Dimension:	81×81×40mm
Cutting Size:	63mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-930-B
SKU:	6643
Base:	GU10
Material:	PC
Color:	Black
Dimension:	81×81×40mm
Cutting Size:	63mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-931-W
SKU:	6644
Base:	GU10
Material:	PC
Color:	White+White
Dimension:	85×40mm
Cutting Size:	72mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-931-WB
SKU:	6645
Base:	GU10
Material:	PC
Color:	White+Black
Dimension:	85×40mm
Cutting Size:	72mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-931-B
SKU:	6646
Base:	GU10
Material:	PC
Color:	Black+Black
Dimension:	85×40mm
Cutting Size:	72mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-931-WC
SKU:	6647
Base:	GU10
Material:	PC
Color:	White+Chrome
Dimension:	85×40mm
Cutting Size:	72mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-931-WG
SKU:	6648
Base:	GU10
Material:	PC
Color:	White+Gold
Dimension:	85×40mm
Cutting Size:	72mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-931-WRG
SKU:	6649
Base:	GU10
Material:	PC
Color:	White+Rose Gold
Dimension:	85×40mm
Cutting Size:	72mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-932-W
SKU:	6650
Base:	GU10
Material:	PC
Color:	White+White
Dimension:	85×85×40mm
Cutting Size:	72mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-932-WB
SKU:	6651
Base:	GU10
Material:	PC
Color:	White+Black
Dimension:	85×85×40mm
Cutting Size:	72mm
Box Qty:	50

V-TAC® INNOVATIVE LED LIGHTING

Recessed Fitting GU10

Model No:	VT-932-B
SKU:	6652
Base:	GU10
Material:	PC
Color:	Black+Black
Dimension:	85×85×40mm
Cutting Size:	72mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-932-WC
SKU:	6653
Base:	GU10
Material:	PC
Color:	White+Chrome
Dimension:	85×85×40mm
Cutting Size:	72mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-932-WG
SKU:	6654
Base:	GU10
Material:	PC
Color:	White+Gold
Dimension:	85×85×40mm
Cutting Size:	72mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-932-WRG
SKU:	6655
Base:	GU10
Material:	PC
Color:	White+Rose Gold
Dimension:	85×85×40mm
Cutting Size:	72mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-933-W
SKU:	6656
Base:	GU10
Material:	PC
Color:	White
Dimension:	102×102×42mm
Cutting Size:	95×95mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-933-B
SKU:	6657
Base:	GU10
Material:	PC
Color:	Black
Dimension:	102×102×42mm
Cutting Size:	95×95mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-934-W
SKU:	6658
Base:	GU10
Material:	PC
Color:	White
Dimension:	102×42mm
Cutting Size:	85mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-934-B
SKU:	6659
Base:	GU10
Material:	PC
Color:	Black
Dimension:	102×42mm
Cutting Size:	85mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-974-W
SKU:	6682
Base:	GU10
Material:	Aluminum
Color:	White
Dimension:	42.5×17.5×35mm
Cutting Size:	61mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-974-B
SKU:	6683
Base:	GU10
Material:	Aluminum
Color:	Black
Dimension:	42.5×17.5×35mm
Cutting Size:	61mm
Box Qty:	50

V-TAC® INNOVATIVE LED LIGHTING

Recessed Fitting GU10

Model No:	VT-980-WB
SKU:	6694
Base:	GU10
Material:	Aluminum
Color:	White+black
Dimension:	32.5×23.5×50mm
Cutting Size:	61mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-980-BW
SKU:	6695
Base:	GU10
Material:	Aluminum
Color:	Black+white
Dimension:	32.5×23.5×50mm
Cutting Size:	61mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-980-B
SKU:	6696
Base:	GU10
Material:	Aluminum
Color:	Black+black
Dimension:	32.5×23.5×50mm
Cutting Size:	61mm
Box Qty:	50

Recessed Fitting GU10

Model No:	VT-980-GB
SKU:	6697
Base:	GU10
Material:	Aluminum
Color:	Golden+Black
Dimension:	32.5×23.5×50mm
Cutting Size:	61mm
Box Qty:	50

Surface Fittings GU10

Model No:	VT-978-W
SKU:	6690
Base:	GU10
Material:	Iron
Color:	White
Dimension:	26.5×22.5×55mm
Cutting Size:	N/A
Box Qty:	20

Surface Fittings GU10

Model No:	VT-978-B
SKU:	6691
Base:	GU10
Material:	Iron
Color:	Black
Dimension:	26.5×22.5×55mm
Cutting Size:	N/A
Box Qty:	20

Surface Fittings GU10

Model No:	VT-979-W
SKU:	6692
Base:	GU10
Material:	Iron
Color:	White
Dimension:	27.5×22.5×55mm
Cutting Size:	N/A
Box Qty:	20

Surface Fittings GU10

Model No:	VT-979-B
SKU:	6693
Base:	GU10
Material:	Iron
Color:	Black
Dimension:	27.5×22.5×55mm
Cutting Size:	N/A
Box Qty:	20

Model No:	VT-981-W
SKU:	6698
Base:	GU10
Material:	
Color:	
Dimension:	
Cutting Size:	
Box Qty:	

Model No:	VT-981-B
SKU:	6699
Base:	GU10
Material:	
Color:	
Dimension:	
Cutting Size:	
Box Qty:	

V-TAC® INNOVATIVE LED LIGHTING

Model No:	VT-981-SN
SKU:	6700
Base:	GU10
Material:	
Color:	
Dimension:	
Cutting Size:	
Box Qty:	

Pendant Black-GU10

Model No:	VT-975-20CM
SKU:	6684
Base:	GU10
Material:	Aluminum
Color:	Black
Dimension:	35.5×25.5×42mm
Cutting Size:	NA
Box Qty:	20

Pendant Black-GU10

Model No:	VT-975-30CM
SKU:	6685
Base:	GU10
Material:	Aluminum
Color:	Black
Dimension:	35.5×35.5×43mm
Cutting Size:	NA
Box Qty:	20

Pendant Black-GU10

Model No:	VT-976-30CM
SKU:	6686
Base:	GU10
Material:	Aluminum
Color:	Black
Dimension:	35.5×35.5×43mm
Cutting Size:	NA
Box Qty:	20

Pendant Black-GU10

Model No:	VT-976-50CM
SKU:	6687
Base:	GU10
Material:	Aluminum
Color:	Black
Dimension:	42×35×54.5mm
Cutting Size:	NA
Box Qty:	20

Pendant Black-GU10

Model No:	VT-977-30CM
SKU:	6688
Base:	GU10
Material:	Aluminum
Color:	Black + Gold
Dimension:	35.5×35.5×43mm
Cutting Size:	NA
Box Qty:	20

Pendant Black-GU10

Model No:	VT-977-50CM
SKU:	6689
Base:	GU10
Material:	
Color:	
Dimension:	
Cutting Size:	
Box Qty:	

Clear Glass-Filament-Candle-E14-Dimmable

- E14 Base
- Candle Shape
- AC:220-240V, 50Hz
- PF: >0.4
- CRI: >80
- 300° Beam Angle

DIMMABLE
LIGHT CONTROL



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
VT-2304D	2870 - 3000K WARM WHITE	4W	35w	400	200

V-TAC®
INNOVATIVE LED LIGHTING

LED Strip Lights Strip Sets-5050 60 LEDs

VT-5050 60 IP20-24W

2895 - 5IN1

Watt/M:	24w	**Beam Angle:**	120°
Voltage:	DC:12V,50Hz	**IP Rating:**	IP20
LED Qty/M:	90		
LED Type:	SMD		

LED Strip Lights Strip Sets-5050 60 LEDs

VT-5050 60 IP20-RGB Set-24W

2896 -5IN1

Watt/M:	24w	**Beam Angle:**	120°
Voltage:	DC:12V,50Hz	**IP Rating:**	IP20
LED Qty/M:	90		
LED Type:	SMD		

LED Strip Lights Striplights 2835 120 Double PCB

VT-2835 120-IP65-24W

2898 - 3IN1

5m ROLL

IP20 RATING

Watt/M:	14W	**Beam Angle:**	120°
Voltage:	DC:24V	**IP Rating:**	IP65
LED Qty/M:	120	**Width:**	10mm
LED Type:	SMD	**Box Qty:**	400 Meters

LED Strip Lights Striplights 2835 120 Double PCB

VT-2835 120-IP20-24W

2897 -3IN1

5m ROLL

IP20 RATING

Watt/M:	14W	**Beam Angle:**	120°
Voltage:	DC:24V	**IP Rating:**	IP20
LED Qty/M:	120	**Width:**	10mm
LED Type:	SMD	**Box Qty:**	400 Meters

LED Strip Lights Striplights 2835 90-High Lumen

VT-2835 90

2698 – 6400K WHITE
2696 – 3000K WARM WHITE
2697 – 4000K DAY WHITE

5m ROLL

IP20 RATING

Watt/M:	4w	**Beam Angle:**	120°
Voltage:	DC:24V	**IP Rating:**	IP20
LED Qty/M:	800	**Width:**	10mm
LED Type:	SMD	**Box Qty:**	400 Meters

LED Strip Lights LED COB Striplights IP20

VT-COB 421

2669 – 6400K WHITE
2667 – 3000K WARM WHITE
2668 – 4000K DAY WHITE

5m ROLL

IP20 RATING

Watt/M:	10w	**Beam Angle:**	120°
Voltage:	DC:24V	**IP Rating:**	IP20
LED Qty/M:	420	**Width:**	10mm
LED Type:		**Box Qty:**	400 Meters



LED Strip Lights LED COB Striplights IP20

VT-COB 422

2880 – RGB

5m ROLL

IP20 RATING

Watt/M:	13w	**Beam Angle:**	120°
Voltage:	DC:24V	**IP Rating:**	IP20
LED Qty/M:	420	**Width:**	10mm
LED Type:	COB	**Box Qty:**	400 Meters

QUICK CONNECT WIRE FOR LED STRIP LIGHT

SKU: 11341

QUICK MIDDLE CONNECTOR FOR LED STRIP LIGHT

SKU: 11342

QUICK MIDDLE CONNECTOR WITH WIRE FOR LED STRIP LIGHT

SKU: 11343

Strip-Controller-Infrared

Model: VT-2428
SKU: 2899
Input voltage: DC:12V/24V

Strip-Controller-Infrared

Model: VT-2425
SKU: 2901
Input voltage: DC:12V/24V

Strip-Controller-Wi-Fi RGB

SKU: 29002900

Strip-Controller-Wi-Fi RGB

SKU: 29022902
Input voltage:

Mounting Kit White

Model: VT-8126
SKU: 2871
Dimension: 2000×50×35mm
Unit Color: White

Mounting Kit White

Model: VT-8127
SKU: 2872
Dimension: 2000×50×75mm
Unit Color: White

Mounting Kit Black

Model: VT-8113
SKU: 2873
Dimension: 2000×17.4×7mm
Unit Color: Black

Mounting Kit Black

Model: VT-8109
SKU: 2874
Dimension: 2000×15.8×15.8mm
Unit Color: Black

Mounting Kit Black

Model: VT-8106
SKU: 2875
Dimension: 2000×24.7×7mm
Unit Color: Black

Mounting Kit Black

Model: VT-8108
SKU: 2876
Dimension: 2000×23.5×10mm
Unit Color: Black

Mounting Kit Black

Model: VT-8114
SKU: 2877
Dimension: 2000×19×19mm
Unit Color: Black

Mounting Kit Black

Model: VT-8110
SKU: 2878
Dimension: 2000×17.2×14.4mm
Unit Color: Black

Power Supply – Plastic

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
VT-23032	2671	30w	2.5A	AC:100-240V,50/60Hz	DC:12V	100
VT-23044	2672	42w	3.5A	AC:100-240V,50/60Hz	DC:12V	100

Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
VT-21061	2682	60w	5A	AC:100-240V,50/60Hz	DC:12V	100
VT-21062	2683	60w	2.5A	AC:100-240V,50/60Hz	DC:24V	100
VT-21071	2684	75w	6.25A	AC:176-264V,50/60Hz	DC:12V	100
VT-21072	2685	75w	3.15A	AC:176-264V,50/60Hz	DC:24V	100

Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
VT-21121	2686	120w	10A	AC:176-264V,50/60Hz	DC:12V	50
VT-21122	2687	120w	5A	AC:176-264V,50/60Hz	DC:24V	50
VT-21152	2688	150w	12.5A	AC:176-264V,50/60Hz	DC:12V	50
VT-21153	2689	150w	6.25A	AC:176-264V,50/60Hz	DC:24V	50

Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
VT-21252	2690	250w	20.8A	AC:176-264V,50/60Hz	DC:12V	20
VT-21253	2691	250w	10.41A	AC:176-264V,50/60Hz	DC:24V	20
VT-21301	2692	300w	25A	AC:176-264V,50/60Hz	DC:12V	20
VT-21302	2693	300w	12.5A	AC:176-264V,50/60Hz	DC:24V	20

Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
VT-21501	2694	500w	42A	AC:200-240V,50/60HZ	DC:12V	20
VT-21502	2695	500w	21A	AC:200-240V,50/60HZ	DC:24V	20

V-TAC® INNOVATIVE LED LIGHTING

LED BIG PANELS

Big Panels-UGR<19

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- On/Off: >10000
- Life span:30,000 Hours
- Body Type: Aluminium
- Dimension :595×595×9mm

LG7 Compliant

UGR‹19

Model	SKU	Watts	Lumen	Size	Box Qty
VT-6068-1	6676 - 4000K DAY WHITE	45w	4830	595×595×9mm	6
VT-6069-1	6674 - 4000K DAY WHITE	45w	4830	620×620×9mm	6

LED BIG PANELS

Big Panels-60×60

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- On/Off: >10000
- Life span:30,000 Hours
- Body Type: Aluminium
- Dimension :595×595×9mm

Model	SKU	Watts	Lumen	Size	Box Qty
VT-6237-1	6673 - 4000K DAY WHITE	36w	3820	595×595×9mm	6

LED BIG PANELS

Big Panels-60×60

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- On/0ff: >15000
- Life span:25,000 Hours
- Body Type: Aluminium
- Dimension :595×595×8.5mm

Model	SKU	Watts	Lumen	Size	Box Qty
VT-6340	6671 - 4500K DAY WHITE 6672 - 6400K WHITE	40w	4950	595×595×8.5mm	6

LED BIG PANELS

Big Panels-High Lumen

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- On/0ff: >10000
- Life span:30,000 Hours
- Body Type: Aluminium
- Dimension :620×620×9mm

120 lm/W

Model	SKU	Watts	Lumen	Size	Box Qty
VT-6262-1	6675 - 4000K DAY WHITE	29w	3480	620×620×9mm	6

LED BIG PANELS

Big Panels-120×30

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 120° Beam Angle
- On/Off: >10000
- Life span:20,000 Hours
- Body Type: FE+PP
- Dimension :1195×295×29mm

Model	SKU	Watts	Lumen	Size	Box Qty
VT-6147	6624 - 3000K WARM WHITE 6625 - 4000K DAY WHITE 6626 - 6500K WHITE	40w	4000	1195×295×29mm	6

Surface Mounting-60×60 New

SKU: 6627
Box Qty 25



Can for Fire Rated Downlight

SKU:	11281
Dimension:	90×120mm
Cutting Size:	80mm
Unit Color:	Black
Body Type:	Iron
IP Rating:	IP20

Can for Fire Rated Downlight

SKU:	11286
Dimension:	
Cutting Size:	
Unit Color:	
Body Type:	
IP Rating:	

White Bezel-IP20 Push and Lock

IP20 RATING · 5 pcs Pack

SKU:	11277
Dimension:	90mm
Unit Color:	White
Body Type:	Iron
IP Rating:	IP20

Black Bezel-IP20 Push and Lock

IP20 RATING · 5 pcs Pack

SKU:	11278
Dimension:	90mm
Unit Color:	Black
Body Type:	Iron
IP Rating:	IP20

Satin Nickel Bezel-IP20 Push and Lock

IP20 RATING · 5 pcs Pack

SKU:	11279
Dimension:	90mm
Unit Color:	Satin Nickel
Body Type:	Iron
IP Rating:	IP20

Chrome Bezel-IP20 Push and Lock

IP20 RATING · 5 pcs Pack

SKU:	11280
Dimension:	90mm
Unit Color:	Chrome
Body Type:	Iron
IP Rating:	IP20

White Bezel-IP65 Push and Lock

IP65 RATING · 5 pcs Pack

SKU:	11282
Dimension:	90mm
Unit Color:	White
Body Type:	Iron
IP Rating:	IP65

Black Bezel-IP65 Push and Lock

IP65 RATING · 5 pcs Pack

SKU:	11283
Dimension:	90mm
Unit Color:	Black
Body Type:	Iron
IP Rating:	IP65

Satin Nickel Bezel-IP65 Push and Lock

IP65 RATING · 5 pcs Pack

SKU:	11284
Dimension:	90mm
Unit Color:	Satin Nickel
Body Type:	Iron
IP Rating:	IP65

Chrome Bezel-IP65 Push and Lock

IP65 RATING · 5 pcs Pack

SKU:	11285
Dimension:	90mm
Unit Color:	Chrome
Body Type:	Iron
IP Rating:	IP65

Solar Wall Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:20×15.5×25.5

Model	SKU	Watts
VT-982-S	2889 - 3IN1	

Solar Stand Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:15.5×15.5×27

Model	SKU	Watts
VT-983-S	2890 - 3IN1	

Solar Wall Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:22×17.5×25

Model	SKU	Watts
VT-982	2892 - 3000K+6000K WARM WHITE+WHITE	

Solar Stand Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:17.5×17.5×27

Model	SKU	Watts
VT-983	2893 - 3000K+6000K WARM WHITE+WHITE	

Solar Lawn Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:21×19×33

Model	SKU	Watts
VT-984	2894 - 3000K+6000K WARM WHITE+WHITE	

Solar Lawn Lamp

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:21×19×33

Model	SKU	Watts
VT-984-S	2891 - 3IN1	

Solar Bollard Lights

- 3.7V, 2000mAh Battery
- Charging Time:
- Working Time: 12 Hours
- Body Type: ABS+PC
- Size:705.7×155mm
- Lumen: 400

Model	SKU	Watts
VT-945	6666 - 3000K WARM WHITE 6665 - 4000K DAY WHITE	5w

2IN1 Garden Light

- 3.7V, 1000mAh Battery
- Charging Time: 4-5 Hours
- Working Time: 30-36 Hours
- Body Type: ABS+PC
- Size:148×800mm
- Lumen: 260

Model	SKU	Watts
VT-943	6668 - 3000K WARM WHITE 6667 - 4000K DAY WHITE	3w



Adjustable Garden Light

- 7.4V, 2000mAh Battery
- Charging Time: 4-5 Hours
- Working Time: 30-36 Hours
- Body Type: ABS+PC+Metal
- Size:264×1290.55mm
- Lumen: 500

Model	SKU	Watts
VT-948	6670 - 3000K WARM WHITE 6669 - 4000K DAY WHITE	8w

Solar Spike Light

- 3.7V Li-on 1200mAh Battery
- Charging Time: 6-8 Hours
- Working Time: 10-12 Hours
- Body Type: ABS
- Size:140×150×280mm
- Lumen: 40

Model	SKU	Watts
VT-952	6660 - 3000K WARM WHITE 6661 - 4000K DAY WHITE 6662 - 6400K WHITE	2w

Solar Tri-Proof Light with Sensor

- Battery
- Charging Time: 4-6 Hours
- Working Time: 8-10 Hours
- Body Type: PC
- Size:1185×80×65mm

IP65 RATING

Model	SKU	Watts	Lumen
VT-120018	6500 - 3IN1		



Solar Bulb with Sensor

- 3.7V, 2200mAh Battery
- Charging Time: 8 Hours
- Working Time: 6 Hours
- Body Type: Plastic
- Size:72×158mm

IP65 RATING

Model	SKU	Watts	Lumen
VT-2417	2857 - 3IN1	7w	500

Table Mirror Lights

- DC:5V
- CRI: >80
- 150° Beam Angle
- IP Rating:IP44
- Body Type: Plastic
- Lumen:30

Model	SKU	Watts
VT-7572	6629	3w

Wall Mirror Lights

- DC:5V
- CRI: >80
- 150° Beam Angle
- IP Rating:IP44
- Body Type: Plastic
- Lumen:30

Model	SKU	Watts
VT-7571	6628	3w

Suction Mirror Lights

- DC:4.5V
- CRI: >80
- 120° Beam Angle
- IP Rating:IP44
- Body Type: Plastic
- Lumen:30

Model	SKU	Watts
VT-7573	6630	3.2w

Rechargeable Desk Lamps

-
- CRI:
- Beam Angle
- Body Type:

RECHARGEABLE

Model	SKU	Watts	Lumen
VT-7703-G	2881 – 3000K WARM WHITE 2882 – 4000K DAY WHITE	3w	

Rechargeable Desk Lamps

-
- CRI:
- Beam Angle
- Body Type:

RECHARGEABLE

Model	SKU	Watts	Lumen
VT-7703-GD	2883 – 3000K WARM WHITE 2884 – 4000K DAY WHITE	3w	

Rechargeable Desk Lamps

-
- CRI:
- Beam Angle
- Body Type:

RECHARGEABLE

Model	SKU	Watts	Lumen
VT-7703-W	2885 – 3000K WARM WHITE 2886 – 4000K DAY WHITE	3w	

Rechargeable Desk Lamps

-
- CRI:
- Beam Angle
- Body Type:

RECHARGEABLE

Model	SKU	Watts	Lumen
VT-7703-B	2887 – 3000K WARM WHITE 2888 – 4000K DAY WHITE	3w	

Ceiling Fan AC Motor

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

Model	SKU
VT-6552-3-W	2866

65W

3 ABS PLASTIC BLADES

AC -POWER MOTOR

Ceiling Fan AC Motor

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

Model	SKU
VT-6552-3-BR	2867

65W

3 ABS PLASTIC BLADES

AC -POWER MOTOR

Ceiling Fan AC Motor

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

Model	SKU
VT-6552-3-BL	2868

65W

3 ABS PLASTIC BLADES

AC -POWER MOTOR

Mist Fan with Wheels

- 16" (40.6CM) Mist fan
- With 430mm diameter radial grill
- 3PP blade with a speed of Max 55.96m³/Min
- Remote type selection with oscillation
- Designed with 3 variants of speed: Low, Medium, and High
- Adjustable Mist
- Timer (with Remote)7.5H
- Water Tank Capacity 3.2 Litre
- 6 Wheels for easy moving

Model	SKU
VT-8217-3	7936

80W

Oscillation
Low | Medium | High

Trolley Speaker

2X10W

Model	SKU
VT-6204-2	6663

- P.M.P.O 150W
- Rechargeable Trolley speaker 2×4 inch woofer.
- DC:5V input power, 1A adapter.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 3.7V/3000mAh.
- Charging time 5-6 Hours.
- Working time 3-6 Hours.
- FM Radio-Frequency 87.5-108MHz.
- AUX and MIC input.
- Dimensions:185.3×177×410.5mm
- Includes one USB cable.

Trolley Speaker

2X10W

Model	SKU
VT-6203-2	6664

- P.M.P.O 150W
- Rechargeable Trolley speaker 2×3 inch woofer with handle.
- DC:5V input power, 1A adapter.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 3.7V/3000mAh.
- Charging time 5-6 Hours.
- Working time 3-6 Hours.
- FM Radio-Frequency 87.5-108MHz.
- AUX and MIC input.
- Dimensions:153.7×143.7×341.5mm
- Includes one USB cable.

Trolley Speaker

40W

Model	SKU
VT-6282-2	8990

- P.M.P.O 150W
- Rechargeable Trolley speaker 8 inch woofer with handle and RF Control.
- AC:100-240V, 50/60Hz input power.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 7.4V/5000mAh.
- Charging time 5-6 Hours.
- Working time 2-4 Hours.
- FM Radio-Frequency 87.5-1080MHz.
- AUX, Guitar and MIC input.
- Working distance up to 15 meters in open space
- Remote Control distance upto 5m in open space
- Dimensions:320×310×685mm
- Includes one Wireless microphone, Remote Control and Power adaptor.

LED Smart Striplight Kit

LED Type:	SMD
Watt/M:	13W
Current/M:	1.08A
lm/M:	1200
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm

Model	SKU
VT-5050 90	2699

2 IN 1

WORKS WITH alexa

works with Ok Google

Charging Adapters

USB-A Output:5V- 3A, 9V-2A, 12V-1.5A(Max). USB-C (PD) Output:5V- 3A, 9V-2.22A, 12V-1.67A(Max).

VT-5320-B

6677

Watts:	20W
Unit Color:	Black
Input Power:	AC:100-240V,50/60Hz
Output Voltage:	DC:5V, 3A
USB Port:	USB-A + USB-C (PD)

PD POWER DELIVERY

Charging Adapters

USB-A Output:5V- 3A, 9V-2A, 12V-1.5A(Max). USB-C (PD) Output:5V- 3A, 9V-2.22A, 12V-1.67A(Max).

VT-5320-W

6678

Watts:	20W
Unit Color:	White
Input Power:	AC:100-240V,50/60Hz
Output Voltage:	DC:5V, 3A
USB Port:	USB-A + USB-C (PD)

PD POWER DELIVERY

Charging Adapters

USB-A Output:5V- 3A, 9V-3A, 12V-2.25A(Max). USB-C (PD) Output:5V- 3A, 9V-3A, 15V-2.0A, 20V-1.5A(Max).

VT-5330-B

6679

Watts:	30W
Unit Color:	Black
Input Power:	AC:100-240V,50/60Hz
Output Voltage:	DC:5V, 3A
USB Port:	USB-A + USB-C (PD)

PD POWER DELIVERY

Charging Adapters

USB-A Output:5V- 3A, 9V-3A, 12V-2.25A(Max). USB-C (PD) Output:5V- 3A, 9V-3A, 15V-2.0A, 20V-1.5A(Max).

VT-5330-W

6680

Watts:	30W
Unit Color:	White
Input Power:	AC:100-240V,50/60Hz
Output Voltage:	DC:5V, 3A
USB Port:	USB-A + USB-C (PD)

PD POWER DELIVERY

V-TAC® INNOVATIVE LED LIGHTING

New Arrivals

The old items have been made ERP compliant and introduced with New SKUs

OLD ERP	NEW SKU
101	21101
103	21103
104	21104
108	21108
115	21115
131	21131
132	21132
135	21135
140	21140
141	21141
146	21146
149	21149
151	21151
189	21189
195	21195
196	21196
197	21197
199	21199
203	21203
206	21206
207	21207
222	21222
223	21223
224	21224
234	21234
235	21235
236	21236
238	21238
239	21239
240	21240
243	21243
244	21244
246	21246
247	21247
248	21248
269	21269
321	21321
324	21324
374	21374
375	21375
376	21376
380	21380
381	21381
383	21383
384	21384
404	21404
407	21407
410	21410
412	21412
413	21413
415	21415
416	21416
417	21417
419	21419
422	21422
442	21442
464	21464
473	21473
511	21511
525	21525
527	21527
528	21528
529	21529
530	21530

OLD ERP	NEW SKU
531	21531
535	21535
536	21536
537	21537
538	21538
539	21539
540	21540
600	21600
602	21602
650	21650
651	21651
652	21652
654	21654
657	21657
658	21658
659	20344
660	20345
662	20347
663	20348
664	20349
665	20350
666	20351
667	20352
668	20354
669	20355
672	21672
673	21673
674	21674
675	21675
676	21676
677	21677
678	21678
679	21679
686	21686
687	21687
688	21688
689	21689
690	21690
691	21691
692	21692
695	21695
696	21696
697	21697
748	21748
749	21749
760	21760
761	21761
762	21762
764	21764
765	21765
766	21766
767	21767
768	21768
770	21770
771	21771
772	21772
773	21773
778	21778
779	21779
784	21784
785	21785
787	21787
789	21789
790	21790

OLD ERP	NEW SKU
791	21791
792	21792
793	21793
796	21796
797	21797
798	21798
799	21799
808	21808
809	21809
853	21853
855	21855
861	21861
867	21867
868	21868
874	21874
875	21875
882	21882
891	21891
892	21892
893	21893
895	21895
896	21896
947	21947
948	21948
951	21951
956	21956
957	21957
958	21958
959	21959
960	21960
961	21961
962	21962
963	21963
969	21969
1208	211208
1209	211209
1210	211210
1314	211314
1316	211316
1317	211317
1319	211319
1322	211322
1323	211323
1326	211326
1328	211328
1329	211329
1331	211331
1463	211463
1466	211466
1469	211469
1470	211470
2002	212002
2005	212005
2011	212011
2013	212013
2015	212015
2016	212016
2025	212025
2032	212032
2035	212035
2036	212036
2037	212037
2038	212038
2041	212041

OLD ERP	NEW SKU
2042	212042
2043	212043
2044	212044
2118	212118
2122	212122
2124	212124
2126	212126
2128	212128
2133	212133
2137	212137
2138	212138
2143	212143
2148	212148
2149	212149
2150	212150
2155	212155
2156	212156
2159	212159
2161	212161
2163	212163
2164	212164
2166	212166
2403	212403
2430	212430
2431	212431
2459	212459
2461	212461
2462	212462
2463	212463
2547	212547
2552	212552
2553	212553
2559	212559
2561	212561
2562	212562
2563	212563
2564	212564
2581	212581
2591	212591
2592	212592
2593	212593
2594	212594
2595	212595
2596	212596
2597	212597
2598	212598
2599	212599
2600	212600
2601	212601
2622	212622
2623	212623
2624	212624
2625	212625
2626	212626
2627	212627
2649	212649
2650	212650
2651	212651
2654	212654
2667	212667
2728	212728
2730	212730
2733	212733
2734	212734

OLD ERP	NEW SKU
2738	212738
2739	212739
2740	212740
2741	212741
2766	212766
2775	212775
2778	212778
2792	212792
2793	212793
2794	212794
4122	214122
4123	214123
4124	214124
4160	214160
4162	214162
4166	214166
4174	214174
4207	214207
4216	214216
4301	214301
5946	215946
5947	215947
5948	215948
5949	215949
5950	215950
5951	215951
5952	215952
5953	215953
5954	215954
5955	215955
5956	215956
5957	215957
5958	215958
5959	215959
5960	215960
5961	215961
5962	215962
5963	215963
5964	215964
5965	215965
5966	215966
5967	215967
5968	215968
5969	215969
6025	216025
6237	216237
6256	216256
6257	216257
6258	216258
6284	216284
6285	216285
6286	216286
6287	216287
6332	216332
6333	216333
6487	20359
6488	20360
6489	20361
6490	20362
6491	20363
6492	20364
6493	20365
6494	20366
6495	20367

OLD ERP	NEW SKU
6620	216620
6671	216671
6672	216672
7078	217078
7079	217079
7080	217080
7081	217081
7082	217082
7087	217087
7088	217088
7089	217089
7090	217090
7091	217091
7121	217121
7229	217229
7240	217240
7241	217241
7242	217242
7246	217246
7260	217260
7261	217261
7262	217262
7263	217263
7264	217264
7265	217265
7269	217269
7270	217270
7271	217271
7353	217353
7354	217354
7357	217357
7359	217359
7362	217362
7363	217363
7402	217402
7403	217403
7407	217407
7422	217422
7436	217436
7439	217439
7440	217440
7524	217524
7527	217527
7544	217544
7545	217545
7547	217547
7548	217548
7550	217550
7551	217551
7602	217602
7604	217604
7608	217608
8211	218211
8215	218215
8233	218233
8234	218234
8235	218235
8237	218237
8238	218238
8239	218239
8241	218241
8242	218242
8243	218243
8245	218245

OLD ERP	NEW SKU
8246	218246
8280	218280
8282	218282
8284	218284
8285	218285
8286	218286
8287	218287
8288	218288
8289	218289
8291	218291
8292	218292
8296	218296
8297	218297
8298	218298
8299	218299
8300	218300
8301	218301
8302	218302
8305	218305
8306	218306
8309	218309
8317	218317
8318	218318
8319	218319
8320	218320
8321	218321
8322	218322
8323	218323
8324	218324
8325	218325
8326	218326
8333	218333
8334	218334
8337	218337
8338	218338
8341	218341
8527	218527
8528	218528
8529	218529
8530	218530
8531	218531
8532	218532
8533	218533
8534	218534
8535	218535
8536	218536
8537	218537
8538	218538
8539	218539
8540	218540
8544	218544
8553	218553
8554	218554
8560	218560
8561	218561
8562	218562
8563	218563
8609	218609
8610	218610
8613	218613
8614	218614
8615	218615
8617	218617
8618	218618

OLD ERP	NEW SKU
8619	218619
8620	218620
8681	218681
8682	218682
8683	218683
8684	218684
13889	2113889
13899	2113899
13909	2113909
13949	2113949
14601	2114601
14611	2114611
14741	2114741
14751	2114751
14761	2114761
14921	2114921
14941	2114941
14951	2114951
20014	2120014
20021	2120021
20026	2120026
20051	2120051
20052	2120052
20054	2120054
20055	2120055
20056	2120056
20058	2120058
20124	2120124
20125	2120125
20186	2120186
20187	2120187
42501	2142501
43441	2143441
55669	2155669
60246	2160246
60256	2160256
60286	2160286
62176	2162176
62406	2162406
62416	2162416
62426	2162426
63300	2163300
63411	2163411
80841	2180841
200471	21200471

V-TAC® INNOVATIVE LED LIGHTING

Sofia Office

V-TAC EUROPE Ltd41, bul.Rozhen,
1271 Sofia, Bulgaria
www.v-tac.eu

UK Office

V-TAC House, Kelpatrick Road,
Slough, Berkshire, SL1 6BW, UK.
www.v-tac.co.uk

Middle East Office

Unit# 407/8/9 Jumeirah Bay Towers,
Plot# X3, JLT,P.O. Box 45244, Dubai.
UK

ROADMAP 2022

V-TAC®
INNOVATIVE LED LIGHTING